



3600mAh

High Capacity

Ensures stable and long-lasting power supply for various devices

These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

USB-C Charging Indicators



- Green light on when fully charged



- Red light on during charging

These images are for guide purpose only, actual result may vary depending on ambient factors. They are the intellectual property of Nitecore. All rights to take legal action are reserved.

Dual Charging Ways Available



Via a USB-C Charging Cable



Via an External Charger



Internal Safety Features



- Built-in intelligent protective circuit of the positive end protects against overcharge, over discharge and short-circuiting



- Pressure relief valve activates in the event of a rapid temperature increase

Purpose-designed

High-performance Protected Circuit



1



Effectively protects against overcharge, over discharge and short-circuiting

2



Utilizes a high-quality battery protection IC

3



Utilizes high-power MOS-FET in the current regulation module for better efficiency and superior output



External Safety Features

1. Equipped at both ends with a nickel-plated stainless steel protector ensuring high impact resistance, good electrical conductivity and oxidation resistance



2. Coated with durable metallic film to guard against abrasion



These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.



Mercury Free, Lead Free and Cadmium Free

For safe use and storage



These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

Low Cost and Environmentally Friendly

500
full charging cycles

A NL1836R battery can be recharged over 500 times.



*The data from NITECORE Lab is calculated for reference only.

These images are for guide purpose only, actual result may vary depending on ambient factors. They are the intellectual property of Nitecore. All rights to take legal action are reserved.



Safe and Reliable

Globally insured and multiple global certifications approved



These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

NL1836R

Specifications



Capacity	3600mAh 3.6V (12.96Wh)
Diameter	18.5±0.3mm / 0.73"±0.01"
Length	71±0.3mm / 2.80"±0.01"
Weight	50g / 1.76 oz
Warranty Period	12 months warranty from the date of purchase

These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

Compatible NITECORE Chargers



UMS2



UMS4



Ci2



Ci4

These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

NITECORE®

NL1836R

18650 USB-C Rechargeable Li-ion Battery

3600mAh



3600mAh



USB-C
Rechargeable



Internal
Safety Features



Mercury Free
and Lead Free

These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.