

NITECORE®



NL2150

21700 Li-ion Rechargeable Battery



- Unlimited Energy
- High Energy Density
- Powerful Performance

NITECORE®
NL2150

21700 Li-ion Rechargeable Battery



Next Generation 21700 Li-ion Batteries

Featuring long lifespan, high energy density and powerful performance, 21700 Li-ion batteries were first introduced in the electric car industry and are considered to be the future of cylindrical batteries.

NITECORE®
NL2150
21700 Li-ion Rechargeable Battery

Internal Safety Features

Pressure relief valve activates in the event of a rapid temperature increase


Innovative anode design with high temperature resistance

Built-in PTC to inhibit high current surges

Microporous barrier protects delicate internal components



NITECORE®
NL2150
21700 Li-ion Rechargeable Battery



High-performance Protective Circuit

1. Automatically protects against overcharge, over discharge and short-circuiting
2. Utilizes a high-quality battery protection IC
3. Utilizes two high-power MOS FETs in the current regulation module for better efficiency and superior output

NITECORE® NL2150

21700 Li-ion Rechargeable Battery



External Safety Features

1. Equipped at both ends with a nickel-plated stainless steel protector ensuring high impact resistance, good electrical conductivity and oxidation resistance
2. Coated with durable metallic film to guard against abrasion
3. Tough plastic circuit board protector

NITECORE®
NL2150
21700 Li-ion Rechargeable Battery



Low Cost and Environmentally Friendly

Using a rechargeable Li-ion battery is energy saving to minimize the carbon footprint.

NITECORE®
NL2150
21700 Li-ion Rechargeable Battery



Safe and Reliable

Globally insured and multiple global certifications approved




NITECORE®
NL2150
21700 Li-ion Rechargeable Battery

Compatible NITECORE Chargers



UMS2



UMS4



UI1



UI2

NITECORE® NL2150

21700 Li-Ion Rechargeable Battery



Specifications

Type: NL2150

Capacity: 5,000mAh

Voltage: 3.6V

Continuous Discharge Current: 8A MAX

Weight: Approx. 73g / 2.57oz

Length: 75.2±0.3mm / 2.96"±0.01"

Diameter: 21.6±0.3mm / 0.85"±0.01"

Warranty Period: 12 months warranty from the date of purchase

⚠ Precautions:

- Never expose the battery to water or fire.
- When charging or using batteries, ensure the positive and negative ends correspond with the positive (+) and negative (-) symbols.
- To extend battery life it is recommended that it is charged every three months when unused for long periods.
- Keep out of the reach of children.